

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/813,697	03/31/2004	Jean Pol Dodelet	2465 US

CONFIRMATION NO. 6137

FORMALITIES LETTER



OC000000012957592

George A. Seaby
Seaby & ASSOCIATES
603 - 880 Wellington Street
Ottawa, ON K1R 6K7
CANADA

Date Mailed: 06/16/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted


An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 2, 5.

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.


Customer Service Center
Initial Patent Examination Division (703) 308-1202
PART 1 - ATTORNEY/APPLICANT COPY



IFW

SERIAL NO.: 10/813,697
FILING DATE: March 31, 2004
APPLICANT: Jean Pol Dodelet et al
TITLE: PROCESS FOR PREPARING CARBON NANOTUBES
OUR FILE: 2465 US

July 16, 2004

The Commissioner for Patents
PO Box 1450
Alexandria VA 22313-1450
USA

Dear Sir:

This is in reply to the Official Letter dated June 16, 2004.


We are at a loss to know what the problem is with respect to the formal drawings filed with this application. The micrographs of Figures 2 and 5 are typical of micrographs which have been accepted by the USPTO in the past.

However, with a view to complying with official requirements, we enclose two copies of the pages of drawings containing Figs. 2 and 5 with different contrast. The new drawings are on flexible, strong, white, smooth, non-shiny and durable paper. We believe that at least one copy of each drawing should be acceptable.

.../2

If neither of the enclosed versions of Figs. 2 and 5 is acceptable, kindly telephone the undersigned.

Yours sincerely,

A handwritten signature in cursive script, appearing to read "George A. Seaby".

George A. Seaby
Reg. No. 24,034

SEABY & ASSOCIATES
603-880 Wellington Street
Ottawa, ON K1R 6K7

Tel: (613) 232-5815
Fax: (613) 232-5831